

# Missouri Pharmacy Program – Preferred Drug List



#### Onychomycosis Antifungal Agents Effective 12/07/05 Revised 07/06/2006

#### **Preferred Agents**

- Lamisil®
- Gris-Peg®
- Grifulvin® Suspension
- Griseofulvin Tablets
- Griseofulvin Powder

### **Non-Preferred Agents**

- Sporanox®
- Itraconazole
- Griseofulvin Suspension
- Grifulvin® Tablets
- Fulvicin® Tab

Approval Criteria	Denial Criteria	
<ul> <li>Documented diagnosis of proximal or distal, white, subungual onychomycosis, identified through:         <ul> <li>KOH microscopic exam</li> <li>Fungal Culture, or</li> <li>Nail Biopsy</li> </ul> </li> </ul>	Lack of adequate trial on required preferred agents	
> 30% nail plate involvement	Therapy will be denied if no approval criteria are met	
<ul> <li>Failure to achieve desired therapeutic outcomes with trial on 1 preferred agents</li> <li>Documented trial period for preferred agents</li> <li>Documented ADE/ADR to preferred agents</li> </ul>	Sporanox Only:     Left ventricular dysfunction, such as congestive heart failure (CHF)	
Documented compliance on current therapy regimen		
See Appendix for maximum approvable durations of therapy	Drug Prior Authorization Hotline: (800) 392-8030	

# **Appendix**

Product	Strength/Dose	Duration of Therapy	Anatomic location of infection
Lamisil	250mg Once Daily	6 weeks	Fingernails
Lamisil	250mg Once Daily	12 Weeks	Toenails
Sporanox	200mg BID	1 week (3 weeks no therapy) for 3 cycles (Pulse)	Fingernails
Sporanox	200mg Once Daily	12 weeks (or Pulse)	Toenails